



SAFETY DATA SHEET

WashFast Acid Flavine Yellow 107A

Issue date: 1/30/17

1. PRODUCT IDENTIFICATION

PRODUCT NAMEWASHFAST ACID FLAVINE YELLOW 107A
 CHEMICAL FAMILYAMINOKETONE
 T.S.C.A. STATUSCOMPLIANCE
 PRIMARY PRODUCT USE ...TEXTILE MANUFACTURING
 SUPPLIED BY PRO CHEMICAL & DYE
 126 SHOVE STREET
 FALL RIVER, MA 02724

Emergency Telephone Numbers:
 800-255-3924 ChemTel. (United States)
 + 1 01 813-248-0585 (Outside the United States)

2. HAZARDS IDENTIFICATION

2.1.1 GHS Classification

NON-CATEGORIZED

2.2.1 GHS Labeling

Signal Word: NONE

Hazard Pictogram: NONE

Hazard Statement: NONE

Precautionary Statements:

P264: Wash face, hands, and any exposed skin thoroughly after handling.

P280: Wear protective gloves/ protective clothing/eye protection/face protection

P270: Do not eat, drink, or smoke when using this product.

P260: Do not breathe dust/fume/gas/mist/vapors/spray

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water for 15 minutes.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a comfortable position for breathing.

PRIMARY ROUTE OF EXPOSURE

INHALATION:	YES	SKIN ABSORPTION:	NO	INGESTION:	NO
SKIN CONTACT:	YES	EYE CONTACT:	YES		

HMIS: 1 0 0 E

CARCINOGEN STATUS

IARC:	NO	NTP:	NO	OSHA:	NO	ACGIH:	NO
-------	----	------	----	-------	----	--------	----

CHRONIC EFFECTS OF OVEREXPOSURE

None Known

SIGNS AND SYMPTOMS OF OVEREXPOSURE

May be irritating to the eyes, skin, and respiratory tract.

MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this product.

3. HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS: NO HAZARDOUS MATERIALS ARE CONTAINED IN THIS PRODUCT

The exact ingredient percentages and composition has been withheld as a trade secret.

4. EMERGENCY AND FIRST AID PROCEDURES

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING

EYE CONTACT	Wash immediately with large amounts of water for 15 minutes, lifting the upper and lower lids until no evidence of product remain. Get medical attention immediately. Do not wear contact lenses while handling.
SKIN CONTACT	Remove all contaminated clothing immediately. Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse.
INGESTION	Dilute with water. Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions.
INHALATION	If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

5. FIRE AND EXPLOSION DATA

FLASH POINT NA

EXTINGUISHING MEDIA C02 Dry Chemical Foam Water Fog

SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL FIRE OR EXPLOSION HAZARDS:

Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering.

ADDITIONAL INFORMATION Avoid dusting conditions. May form explosive dust mixtures with air.

6. SPILL OR LEAK PROCEDURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Avoid formation and deposition of dust. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. For further disposal measures see section 13.

7. SPECIAL PRECAUTIONS AND STORAGE DATA

SAFE HANDLING: In accord with good industrial practice. Handle with care and avoid personal contact.

8. EMPLOYEE PROTECTION RECOMMENDATIONS

GENERAL PROTECTIVE MEASURES:

Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing.

EYE PROTECTION Employees should wear protective eye-goggles with side protection shield.

SKIN PROTECTION Employees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from food and drink stuffs.

RESPIRATORY PROTECTION Inhalation of dust and aerosols must be absolutely prevented by the use of a NIOSH approved dust respirator.

VENTTLATION Use local ventilation.

OTHER Wear overalls, apron or other protective clothing.

9. PHYSICAL DATA

APPEARANCEPOWDER
COLORYELLOW
ODOR NONE
ODOR THRESHOLD NA
SOLUBILITY IN WATER 10 g/l @ 100°C
BULK DENSITY ND
VISCOSITY NA
pH6.0 @ 80 g/l 20°C
MELTING POINT/FREEZING POINT ...NA
PARTITION COEFFICIENT: N-OCTANOL/WATER ND
BOILING POINTNA
VAPOR PRESSURE NA
VAPOR DENSITY NA
EVAPORATION RATENA
FLAMMABILITYNA
FLASH POINT NA
IGNITION TEMP NA
DECOMPOSITION TEMPERATURE ND
UELNA
LELNA
% VOLATILE: VALUE: ND UNIT: % COMMENT
:

10. REACTIVITY DATA

THERMAL DECOMPOSITION: No thermal decomposition when stored and handled correctly.
HAZARDOUS REACTIONS: In the case of dusty organic products the possibility of a dust explosion should always be considered.
CHEMICAL STABILITY Stable
INCOMPATIBLE MATERIALS: None
HAZARDOUS DECOMPOSITION PRODUCTS . CO₂, CO, SULFUR OXIDES, NITROGEN OXIDES
CONDITIONS TO AVOID Avoid dusting conditions and sparks/flame.
HAZARDOUS POLYMERIZATION Will not occur

11. TOXICOLOGICAL DATA

ANIMAL TOXICITY ORAL - LD50 (INGESTION) >7100 mg/kg (RATS)
FISH, LC50 > 500 mg/l 96 hours (GUPPIES)
EYE EFFECTS NON-IRRITANT (RABBIT EYE)
SKIN EFFECTS NON-IRRITANT (RABBIT)
SENSITIZATION NOT EXPECTED

12. ECOLOGICAL DATA

BIODEGRADABILITY: < 10%

BACTERIA TOXICITY: No Inhibition level to wastewater bacteria: >5000 mg/l

AOX: 0.000%

13. DISPOSAL CONSIDERATIONS

PRODUCT:If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant.

UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

14. SHIPPING DATA

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL

D.O.T. HAZARD CLASSIFICATION: NOT REGULATED

FRT. CLASS PACKAGE: 55

IA T A (C,P): NON-HAZARDOUS

IMDS: NON-HAZARDOUS

15. REGULATORY DATA

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory

SARA 313: This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.

SARA 312:	Immediate (acute) health hazard	Yes
	Delayed (chronic) health hazard	No
	Fire hazard	No
	Sudden Release of Pressure	No
	Reactivity	No

This product is not subject to the German Ordinance that bans certain azo dyes or the 19th Amendment of the Council Directive 76/769/EEC.

CALIFORNIA PROPOSITION 65: This product does not contain any components currently on the California List of Known Carcinogens and reproductive Toxins

16. OTHER INFORMATION

This company warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the safety data sheet for this product. This company makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall this company be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

MSDS Created: September 23, 2009

MSDS Revised: August 25, 2016

SAFETY DATA SHEET

WF119 and WF106

PRINT DATE: 4/3/17

1. PRODUCT IDENTIFICATION

PRODUCT NAME WASHFAST SUN YELLOW 119 and 106

SUPPLIED BY PRO Chemical & Dye
126 Shove Street
Fall River, MA 02724

Emergency Telephone Numbers:

800-255-3924 ChemTel. (United States)

+ 1 01 813-248-0585 (Outside the United States)

Recommended Use of the Chemical and Restrictions on Use: For Industrial use only.

2. HAZARDS IDENTIFICATION

GHS Classification: Environmental Category 3- Chronic aquatic toxicity

Pictogram: NONE

Signal Word: NONE

Hazard Statements: H412: Harmful to Aquatic Life with Long-Lasting Effects

Precautionary Statements:

P264: Wash face, hands, and any exposed skin thoroughly after handling.

P280: Wear protective gloves/ protective clothing/eye protection/face protection

P270: Do not eat, drink, or smoke when using this product.

P260: Do not breath dust/fume/gas/mist/vapors/spray

P273: Avoid release to the environment

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302 + P352 If eye irritation persists: Get medical advice/attention.

P332 + P313 IF ON SKIN: Wash with plenty of soap and water for 15 minutes.

P301 + P330 + P331 If skin irritation occurs: Get medical advice/attention.

P304 + P340 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF INHALED: Remove victim to fresh air and keep at rest in a comfortable position for breathing.

3. COMPOSITION/INFORMATIONS ON INGREDIENTS

Proprietary Azo Dye Harmful to aquatic life

The exact ingredient percentages and composition of components have been withheld as a trade secret.

4. FIRST -AID MEASURES

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING

EYE CONTACT Wash immediately with large amounts of water for 15 minutes, lifting the upper and lower lids until no evidence of product remain. Get medical attention immediately. Do not wear contact lenses while handling.

SKIN CONTACT Remove all contaminated clothing immediately. Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse.

INGESTION Dilute with water. Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions.

INHALATION If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

The most significant symptoms and effects are described in the labelling (see section 2) and/or in section 11

INDICATION OF ANY SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

No data available

5. FIREFIGHTING MEASURES

FLASH POINT NA

EXTINGUISHING MEDIA CO₂, Dry Chemical foam, Water fog

SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL FIRE OR EXPLOSION HAZARDS:

Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering.

ADDITIONAL INFORMATION Avoid dusting conditions. May form explosive dust mixtures with air.

6. ACCIDENTAL RELEASE MEASURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Avoid formation and deposition of dust. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. For further disposal measures see section 13.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

In accord with good industrial practice. Handle with care and avoid personal contact

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Keep container protected from direct sunlight in a dry, cool and in a well-ventilated area.
Keep the container tightly sealed and away from any incompatible materials (see Section 10).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

APPROPRIATE ENGINEERING CONTROLS:

Handle with good industrial practices and industrial hygiene. Wash hands after use.

GENERAL PROTECTIVE MEASURES:

Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing.

EYE PROTECTION Employees should wear protective eye-goggles with side protection shield.

SKIN PROTECTION Employees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from food and drink stuffs.

RESPIRATORY PROTECTION Inhalation of dust and aerosols must be absolutely prevented by the use of a NIOSH approved dust respirator.

VENTILATION Use local ventilation.

OTHER Wear overalls, apron or other protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

- APPEARANCE POWDER
- COLOR YELLOW
- ODOR SLIGHTLY AROMATIC
- ODOR THRESHOLD NA
- SOLUBILITY IN WATER 11 g/l @ 25 C
- BULK DENSITY ND
- RELATIVE DENSITY NA
- VISCOSITY NA
- pH ND
- MELTING POINT/FREEZING POINT NA
- PARTITION COEFFICIENT: N-OCTANOL/WATER ND
- BOILING POINT NA
- VAPOR PRESSURE NA
- VAPOR DENSITY NA
- EVAPORATION RATE NA
- FLAMMABILITY NA
- FLASH POINT NA
- AUTO-IGNITION TEMP NA
- DECOMPOSITION TEMPERATURE ND
- UEL NA
- LEL NA

VOLATILE: VALUE: 0.00 UNIT: % COMMENT:

10. STABILITY AND REACTIVITY

THERMAL DECOMPOSITION: No thermal decomposition when stored and handled correctly.

POSSIBILITY OF HAZARDOUS REACTIONS: In the case of dusty organic products the possibility of a dust explosion should always be considered.

CHEMICAL STABILITY Stable

INCOMPATIBLE MATERIALS: None

HAZARDOUS DECOMPOSITION PRODUCTSCO₂, CO, SULFUR OXIDES, NITROGEN OXIDES

CONDITIONS TO AVOID Avoid dusting conditions and sparks/flame.

REACTIVITY Will not occur

11. TOXICOLOGICAL INFORMATION

ANIMAL TOXICITY ORAL - LD50 (INGESTION) > 5,000 mg/l (RAT)

FISH, LC50 ND

EYE EFFECTS NON-IRRITANT (RABBIT EYE)

SKIN EFFECTS NON-IRRITANT (RABBIT)

SENSITIZATION NOT EXPECTED

PRIMARY ROUTE OF EXPOSURE

INHALATION:	YES	SKIN ABSORPTION:	NO	INGESTION:	NO
SKIN CONTACT:	YES	EYE CONTACT:	YES		

CARCINOGEN STATUS

IARC:	NO	OSHA:	NO
		NTP:	NO

HMIS: 1 1 0 E

CHRONIC EFFECTS OF OVEREXPOSURE

None Known

SIGNS AND SYMPTOMS OF OVEREXPOSURE

May be irritating to the eyes, skin, and respiratory tract..

MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this product.

12. ECOLOGICAL INFORMATION

BIODEGRADABILITY: ND

BACTERIA TOXICITY: ND

AOX CONTENT: 11.6%

13. DISPOSAL CONSIDERATIONS

PRODUCT: If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant.

UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

14. TRANSPORT INFORMATION

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL

D.O.T. HAZARD CLASSIFICATION: NOT REGULATED

FRT. CLASS PACKAGE: 55

IATA: NON-REGULATED

IMDG: NON-REGULATED

15. REGULATORY DATA

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory

SARA 313: This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.

SARA 312:	Immediate (acute) health hazard	Yes
	Delayed (chronic) health hazard	Yes
	Fire hazard	No
	Sudden Release of Pressure	No
	Reactivity	No

This product is not subject to the German Ordinance that bans certain azo dyes or the 19th Amendment of the Council Directive 76/1769/EEC.

CALIFORNIA PROPOSITION 65: This product does not contain any components currently on the California List of Known Carcinogens and Reproductive Toxins

16. OTHER INFORMATION

This company warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. This company makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall this company be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

MSDS Created: March 28, 2017

MSDS Revised: March 28, 2017

SAFETY DATA SHEET

WashFast 130 Caramel

ISSUE DATE: 11/15/16

1. PRODUCT IDENTIFICATION

PRODUCT NAME WASHFAST WashFast 130
 CHEMICAL FAMILY DISAZO
 T.S.C.A. STATUS IN COMPLIANCE
 PRIMARY PRODUCT USE TEXTILE MANUFACTURING
 SUPPLIED BY PRO CHEMICAL & DYE
 126 SHOVE STREET
 FALL RIVER, MA 02724

Emergency Telephone Numbers:
 800-255-3924 ChemTel. (United States)
 + 1 01 813-248-0585 (Outside the United States)

2. HAZARDS IDENTIFICATION

GHS Classification: Environmental Category 3- Chronic aquatic toxicity

Pictogram: NONE

Signal Word: NONE

Hazard Statements: H412: Harmful to Aquatic Life with Long-Lasting Effects

Precautionary Statements:

P264: Wash face, hands, and any exposed skin thoroughly after handling.

P280: Wear protective gloves/ protective clothing/eye protection/face protection

P270: Do not eat, drink, or smoke when using this product.

P260: Do not breathe dust/fume/gas/mist/vapors/spray

P273: Avoid release to the environment

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water for 15 minutes.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a comfortable position for breathing.

PRIMARY ROUTE OF EXPOSURE

INHALATION: YES SKIN ABSORPTION: NO INGESTION: NO
SKIN CONTACT: YES EYE CONTACT: YES

CARCINOGEN STATUS

IARC: NO NTP: NO OSHA: NO ACGIH: NO

HMIS: 1 1 0 E

CHRONIC EFFECTS OF OVEREXPOSURE

None Known

SIGNS AND SYMPTOMS OF OVEREXPOSURE

May be irritating to the respiratory tract.

MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this product.

3. HAZARDOUS INGREDIENTS

Acid Orange 33 (6507-77-3) > 50 % Toxic to Aquatic Organisms

The exact ingredient percentages and composition has been withheld as a trade secret.

4. EMERGENCY AND FIRST AID PROCEDURES

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED COLTHING

EYE CONTACT Wash immediately with large amounts of water for 15 minutes, lifting the upper and lower lids until no evidence of product remain. Get medical attention immediately. Do not wear contact lenses while handling.
SKIN CONTACT Remove all contaminated clothing immediately. Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse.
INGESTION Dilute with water Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions.
INHALATION If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

5. FIRE AND EXPLOSION DATA

FLASH POINTNot Applicable

EXTINGUISHING MEDIAC02 Dry Chemical Foam Water Fog

SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL FIRE OR EXPLOSION HAZARDS:

Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering.

ADDITIONAL INFORMATION Avoid dusting conditions. May form explosive dust mixtures with air.

6. SPILL OR LEAK PROCEDURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Avoid formation and deposition of dust. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. Scrub spilled area with detergent, flush with copious amount of water. For further disposal measures see section 13.

7. SPECIAL PRECAUTIONS AND STORAGE DATA

SAFE HANDLING: In accord with good industrial practice. Handle with care and avoid personal contact.

8. EMPLOYEE PROTECTION RECOMMENDATIONS

GENERAL PROTECTIVE MEASURES:

Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing.

EYE PROTECTION Employees should wear protective eye-goggles with side protection shield.

SKIN PROTECTION Employees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from food and drink stuffs.

RESPIRATORY PROTECTION Inhalation of dust and aerosols must be absolutely prevented by the use of a NIOSH approved dust respirator.

VENTILATION Use local ventilation.

OTHER Wear overalls, apron or other protective clothing.

9. PHYSICAL DATA

APPEARANCEPOWDER

COLORORANGE

ODOR NONE

ODOR THRESHOLD NA

SOLUBILITY IN WATER 150 g/l @ 90C

BULK DENSITY ND

VISCOSITY NA

pH8.7 @ 80 g/l 20 C

MELTING POINT/FREEZING POINT NA

PARTITION COEFFICIENT: N-OCTANOL/WATERND

BOILING POINT NA

VAPOR PRESSURE NA

VAPOR DENSITYNA

EVAPORATION RATENA

FLAMMABILITYNA

FLASH POINTNA

IGNITION TEMP NA

DECOMPOSITION TEMPERATURE ND

UELNA

LELNi\

% VOLATILE: VALUE: ND

UNIT: %

COMMENT:

10. REACTIVITY DATA

THERMAL DECOMPOSITION: No thermal decomposition when stored and handled correctly.

HAZARDOUS REACTIONS: In the case of dusty organic products the possibility of a dust explosion should always be considered.

CHEMICAL STABILITY Stable

INCOMPATIBLE MATERIALS: None

HAZARDOUS DECOMPOSITION PRODUCTS CO₂, CO, SULFUR OXIDES, NITROGEN OXIDES

CONDITIONS TO AVOID Avoid dusting conditions and sparks/flame.

HAZARDOUS POLYMERIZATION.... Will not occur

11. TOXICOLOGICAL DATA

ANIMAL TOXICITY ORAL - LD50 (INGESTION) > 5000 mg/l (Rat)

FISH, LC50 > 10 mg/l (96 hour Brachydanio rerio)

EYE EFFECTS NON-IRRITANT (RABBIT EYE)

SKIN EFFECTS NON-IRRITANT (RABBIT)

SENSITIZATION NOT EXPECTED

12. ECOLOGICAL DATA

BIODEGRADABILITY: ND

BACTERIA TOXICITY: ND

13. DISPOSAL CONSIDERATIONS

PRODUCT: If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant.

UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

14. SHIPPING DATA

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL

D.O.T. HAZARD CLASSIFICATION: NOT REGULATED

FRT. CLASS PACKAGE: 55

IATA (C,P): NON-HAZARDOUS MATERIAL

IMDG: NON-HAZARDOUS MATERIAL

15. REGULATORY DATA

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory

SARA 313: This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.

SARA	Immediate (acute) health hazard	Yes
312:	Delayed (chronic) health hazard	Yes
	Fire hazard	No
	Sudden Release of Pressure	No
	Reactivity	No

This product is not subject to the German Ordinance that bans certain azo dyes or the 19th Amendment of the Council Directive 76/769/EEC.

CALIFORNIA PROPOSITION 65: This product does not contain any components currently on the California List of Known Carcinogens and reproductive Toxins

16. OTHER INFORMATION

This company warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. This company makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall this company be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

MSDS Created: September 4, 2009
MSDS Revised: August 25, 2016



SAFETY DATA SHEET

WF135 AND WF124

SECTION I: IDENTIFICATION

Supplied by: PRO Chemical & Dye
126 Shove Street
Fall River, MA 02724

Emergency Telephone Numbers:
800-255-3924 ChemTel. (United States)
+ 1 01 813-248-0585 (Outside the United States)

Trade Name: WashFast Acid Yellow 135

SECTION II: HAZARDOUS INGREDIENTS

SIGNAL WORD: WARNING
MAY FORM COMBUSTIBLE DUST CONCENTRATIONS IN AIR

ACUTE TOXICITY CLASSIFICATION: CATEGORY 5

PICTOGRAM: NONE REQUIRED

HAZARD STATEMENTS:

PRECAUTIONARY STATEMENT:

P261 AVOID BREATHING DUST/FUME/GAS/MIST/VAPOUR/SPRAY
P273 AVOID RELEASE TO ENVIRONMENT
P281 WEAR PPE AS REQUIRED
P301+330+331 IF SWALLOWED: RINSE MOUTH - DO NOT INDUCE VOMITING
P302+350 IF ON SKIN: GENTLY WASH WITH PLENTY OF SOAPY WATER
P304 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING
P314 GET MEDICAL ATTENTION IF YOU FEEL UNWELL
P501 DISPOSE OF CONTENTS AND CONTAINER IN ACCORDANCE WITH ALL LOCAL REGIONAL/NATIONAL/INTERNATIONAL REGULATIONS

SECTION III: COMPOSITION INFORMATION

Chemical Name: AZO DYE

100% PROPRIETARY DYE

SECTION IV: FIRST-AID MEASURES

Eyes : IMMEDIATE AND CONTINUOUS IRRIGATION WITH FLOWING WATER FOR AT LEAST FIFTEEN MINUTES. CONSULT PHYSICIAN IF IRRITATION OCCURS
Skin : IMMEDIATELY FLUSH SKIN WITH PLENTY OF WATER WASH WELL WITH SOAP AND WATER LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE.
Ingestion.: IF CONSCIOUS, GIVE TWO GLASSES OF WATER TO DILUTE. ONLY INDUCE VOMITING IF ADVISED BY POISON CONTROL CENTER
Inhalation: REMOVE TO FRESH AIR IF EFFECTS OCCUR, CONSULT PHYSICIAN.

ACUTE/IMMEDIATE EFFECTS: SLIGHT IRRITATION OF EYES AND SKIN

CHRONIC/DELAYED EFFECTS: NONE KNOWN

SECTION V: FIRE FIGHTING MEASURES

Extinguishing Media.....: WATER SPRAY, DRY CHEMICALS, FOAM OR CARBON DIOXIDE.

Special Fire Fighting Procedures .. : FIREFIGHTERS SHOULD WEAR FULL-FACE, SELF-CONTAINED BREATHING APPARATUS AND IMPERVIOUS PROTECTIVE CLOTHING.

Unusual Fire and Explosion Hazards: NONE EXPECTED

Flash Point and Method	NA	Flammable Limits	LEL: NA	UEL: NA
NFPA Fire Hazards Code		Key		HMIS Codes
HEALTH		O-MINIMAL		1
FIRE		1-SLIGHT		1
REACTIVITY	0	2-MODERATE		0
SPECIFIC	NA	3-SERIOUS		NE
		4-SEVERE		

SECTION VI: ACCIDENTAL RELEASE MEASURES

ALWAYS WEAR PROPER PROTECTIVE CLOTHING AND RESPIRATORY PROTECTION. MIX MATERIAL WITH SWEEPING COMPOUND TO MINIMIZE DUSTING WHILE SWEEPING UP AND CONTAINING. VACUUM CONTAMINATED AREA.

KEEP AWAY FROM DRAINS, SURFACE AND GROUND WATER.

REMOVE ANY SOURCES OF POTENTIAL IGNITION.

SECTION VII: HANDLING AND STORAGE

AVOID BREATHING DUST. AVOID CONTACT WITH EYES AND SKIN. WASH THOROUGHLY AFTER HANDLING. STORE IN A DRY PLACE AWAY FROM EXCESSIVE HEAT, IN ORIGINAL OR SIMILAR WATERPROOF CONTAINERS. RESEAL CONTAINERS IMMEDIATELY AFTER USE.

MAINTAIN GOOD HOUSEKEEPING TO AVOID DUST BUILD UP. AVOID INGESTION, EYE AND SKIN CONTACT. MINIMIZE INHALATION EXPOSURE BY USING DUST RESPIRATOR. WASH HANDS AFTER WEIGHING DYE TO AVOID CONTACT OF THE SKIN OR EYES WITH CONTAMINATED HANDS. A SENSITIZED INDIVIDUAL SHOULD NOT BE EXPOSED TO THE PRODUCT WHICH CAUSED THE SENSITIZATION.

MINIMALIZE RELEASE OF SUBSTANCE INTO THE ENVIRONMENT

SECTION VIII: EXPOSURE CONTROLS/PPE

Ventilation: USE LOCAL EXHAUST VENTILATION TO MINIMIZE EXPOSURE. MAINTAIN AIR CONCENTRATIONS BELOW OCCUPATIONAL EXPOSURE STANDARDS WHEN POSSIBLE

Respiratory: A NIOSH/MSHA APPROVED DUST RESPIRATOR SHOULD BE WORN.

Eye Protection: WEAR SIDE-SHIELD SAFETY GLASSES OR CHEMICAL SAFETY GOGGLES.

Skin: WEAR APPROPRIATE PROTECTIVE CLOTHING, WEAR IMPERVIOUS GLOVES AS A STANDARD HANDLING PROCEDURE.

DELUGE SAFETY SHOWER, AND EYE WASH STATION SHOULD BE IN VICINITY OF WORK AREA

All chemicals should be handled so as to prevent eye contact and excessive or repeated skin contact. Appropriate eye and skin protection should be employed. Inhalation of dusts and vapors should be avoided.

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	POWDER				
COLOR:	YELLOW				
ODOR:	SLIGHTLY AROMATIC				
SOLUBILITY:	COMPLETELY SOLUBLE IN WATER				
pH:	N.E.				
MELTING POINT:	NA				
BOILING POINT:	NA				
FLASH POINT:	N.E.	METHOD	N.E.	LEL: N.E.	LUL: N.E.
AUTO IGNITION TEMP:		NA			
DECOMPOSITION TEMP		NA			
VISCOSITY:	NA				

SECTION X: STABILITY AND REACTIVITY

STABLE UNDER NORMAL STORAGE CONDITIONS.

Incompatibility (Materials to Avoid): OXIDIZING AND REDUCING AGENTS.

Hazardous Decomposition Products: BURNING WILL PRODUCE OXIDES OF CARBON, NITROGEN AND SULFUR.

Hazardous Polymerization: WILL NOT OCCUR UNDER NORMAL CONDITIONS.

SECTION XI: TOXICOLOGICAL INFORMATION

LD-50:	(ORAL)	>3,000	MG/KG	(RAT)
LD-50:	(DERMAL)	N.E.		

LC50 N.E.

ROUTE OF EXPOSURE: SKIN AND EYES
TLV: N.E.

EFFECTS OF OVEREXPOSURE:

ACUTE: SLIGHT IRRITATION OF EYES AND/OR SKIN
CHRONIC: NO KNOWN CHRONIC ILL EFFECTS.

NOT A KNOWN MUTAGEN, CARCINOGEN, OR ASPIRATION HAZARD.
NOT KNOWN TO CAUSE REPRODUCTIVE TOXICITY.

SECTION XII: ECOLOGICAL INFORMATION

NOT EVALUATED

SECTION XIII: DISPOSAL INFORMATION

Disposal Considerations DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL ENVIRONMENTAL CONTROL REGULATIONS. EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE AND SHOULD NOT BE DISTRIBUTED, MADE AVAILABLE, FURNISHED OR REUSED EXCEPT FOR STORAGE AND SHIPMENT OF ORIGINAL PRODUCT.

SECTION XIV: TRANSPORTATION INFORMATION

DOT SHIPPING NAME: NOT REGULATED
TECHNICAL SHIPPING NAME: NOT REGULATED
DOT HAZARD CLASSIFICATION
PRIMARY: NOT APPLICABLE
SECONDARY: NOT APPLICABLE
FREIGHT CLASSIFICATION: NOT REGULATED
UN NUMBER: NOT APPLICABLE
IMO HAZARD CLASS: NOT REGULATED
DOT LABELS REQUIRED: COMMUNITY RIGHT TO KNOW LABEL
EPA/DOT HAZARDOUS SUBSTANCE RQ: NOT APPLICABLE.

SECTION XV: REGULATORY INFORMATION

TSCA: ALL COMPONENTS OF THIS PRODUCT ARE IN COMPLIANCE WITH THE TOXIC SUBSTANCE CONTROL ACT

APPROVED SUBSTANCE ON THE FOLLOWING INTERNATIONAL LISTS:

EINECS ENCS ECL DSL AICS PICCS

NOT REPORTABLE UNDER SARA TITLE III SEC: 302,304, 313
NOT KNOWN TO BE A FORBIDDEN AZO DYE (GERMAN LIST)
NOT LISTED AS PROPOSITION 65 CHEMICAL
NO LABEL NECESSARY IN ACCORDANCE WITH ECC DIRECTIVES
CONFORMS TO EC DIRECTIVE 2001/58/EC

SECTION XVI: OTHER INFORMATION FOR INDUSTRIAL USE ONLY

DISCLAIMER

Information contained herein is, to our best knowledge, true and accurate. It is offered for information only, as we cannot guarantee the results of processes not under our direct control.

N.E. NOT ESTABLISHED N.A. NOT APPLICABLE

Date of Last Revision: 11/16/15

REASON FOR UPDATE: FORMAT CHANGE

1.



SAFETY DATA SHEET

**WF199c, WF103, WF105, WF120, WF121, WF122, and
WF123**

ISSUE DATE: 4/3/17

1. PRODUCT IDENTIFICATION

PRODUCT NAMEWASHFAST GOLDEN YELLOW 199C
CHEMICAL FAMILYAZO
T.S.C.A. STATUSIN COMPLIANCE
RECOMENED PRODUCT USETEXTILE MANUFACTURING
RESTRICTED PRODUCT USE FOR INDUSTRIAL USE ONLY
SUPPLIED BYPRO CHEMICAL & DYE

126 SHOVE STREET
FALL RIVER, MA 02724
PHONE: 508-676-3838

EMERGENCY PHONE NUMBER: 800-255-3924 ChemTel. (United States)
+ 1 01 813-248-0585 (Outside the United States)

2. HAZARDS IDENTIFICATION

GHS Classification: Health Category 5- Oral Toxicity
Health Category 2-Skin Irritant
Environmental Category: 3: Acute Chronic Toxicity to Aquatic Life



Pictogram:

Signal Word: Warning

Hazard Statements: H317: May Cause an Allergic Skin Reaction
H302: May be harmful if swallowed
H412: Harmful to aquatic life with long-lasting effects

Precautionary Statements:

P264: Wash face, hands, and any exposed skin thoroughly after handling.
P280: Wear protective gloves/ protective clothing/eye protection/face protection
P270: Do not eat, drink, or smoke when using this product.
P260: Do not breathe dust/fume/gas/mist/vapors/spray
P273: Avoid release to the environment
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water for 15 minutes.
P332 + P313 If skin irritation occurs: Get medical advice/attention.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a comfortable position for breathing.

3. COMPOSITION/INFORMATIONS ON INGREDIENTS

Proprietary Azo Dye May be harmful if swallowed. Animal Sensitizer.

The exact ingredient percentages and composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING

EYE CONTACTWash immediately with large amounts of water for 15 minutes, lifting the upper and lower lids until no evidence of product remain. Get medical attention immediately. Do not wear contact lenses while handling.

SKIN CONTACTRemove all contaminated clothing immediately. Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse.

INGESTIONDilute with water. Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions.

INHALATIONIf inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

MOST IMPORTANT SYMPTOMS AND EFFECTS. BOTH ACUTE AND DELAYED
The most significant symptoms and effects are described in the labelling (see section 2) and/or in section II

INDICATION OF ANY SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED
No data available

5. FIREFIGHTING MEASURES

FLASH POINTNA

EXTINGUISHING MEDIACO2 Dry Chemical Foam Water Foam

SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL FIRE OR EXPLOSION HAZARDS:

Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering.

ADDITIONAL INFORMATION: Avoid dusting conditions. May form explosive dust mixtures with air.

6. ACCIDENTAL RELEASE MEASURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Avoid formation and deposition of dust. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. For further disposal measures see section 13.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

In accord with good industrial practice, handle with care and avoid personal contact

CONDITIONS FOR-SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Keep container protected from direct sunlight in a dry, cool and in a well-ventilated area.

Keep the container tightly sealed and away from any incompatible materials (see Section 10).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

APPROPRIATE ENGINEERING CONTROLS:

Handle with good industrial practices and industrial hygiene. Wash hands after use.

GENERAL PROTECTIVE MEASURES:

Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing.

EYE PROTECTION ...Employees should wear protective eye-goggles with side protection shield.

SKIN PROTECTION ...Employees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from food and drink stuffs.

RESPIRATORY PROTECTION ...Inhalation of dust and aerosols must be absolutely prevented by the use of a NIOSH approved dust respirator.

VENTILATIONUse local ventilation.

OTHERWear overalls, apron or other protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCEPOWDER

COLORYELLOW

ODORNONE

ODOR THRESHOLDNA

SOLUBILITY IN WATER ..SOLUBLE

BULK DENSITY 450 - 600 kg/m³

RELATIVE DENSITYNA

VISCOSITY NA

pH 10 (100 g/l in 20C water)

MELTING POINT/FREEZING POINT NA

PARTITION COEFFICIENT: N-OCTANOL/WATER ND

BOILING POINTNA

VAPOR PRESSURE NA

VAPOR DENSITY NA

EVAPORATION RATENA

FLAMMABILITYNA

FLASH POINT NA

AUTO-IGNITION TEMP NA

DECOMPOSITION TEMPERATURE ND

UELNA

LELNA

VOLATILE: VALUE: 0.00

UNIT: %

COMMENT:

10. STABILITY AND REACTIVITY

THERMAL DECOMPOSITION: No thermal decomposition when stored and handled correctly.

POSSIBILITY OF HAZARDOUS REACTIONS: None expected

CHEMICAL STABILITY Stable

INCOMPATIBLE MATERIALS: None

HAZARDOUS DECOMPOSITION PRODUCTS C02, CO, SULFUR OXIDES,
NITROGEN OXIDES

CONDITIONS TO AVOID Avoid dusting conditions and sparks/flare.

REACTIVITY Will not occur

11. TOXICOLOGICAL INFORMATION

ANIMAL TOXICITY ORAL - LD50 (INGESTION) > 2000 mg/l (Rat)

FISH, LC50 >71 mg/l (96 h, Oncorhynchus mykiss)

EYE EFFECTS NON-IRRITANT (RABBIT EYE)

SKIN EFFECTS NON-IRRITANT (RABBIT)

SENSITIZATION SENSITIZER (GUINEA PIG)

PRIMARY ROUTE OF EXPOSURE

INHALATION:	YES	SKIN ABSORPTION:	NO	INGESTION:	NO
SKIN CONTACT:	YES	EYE CONTACT:	YES		

CARCINOGEN STATUS

IARC: NO NTP: NO OSHA: NO

CHRONIC EFFECTS OF OVEREXPOSURE

None Known

SIGNS AND SYMPTOMS OF OVEREXPOSURE

May be irritating to the eyes, skin, and respiratory tract. May have sensitizing effects based upon laboratory animal studies.

MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this product.

12. ECOLOGICAL INFORMATION

BIODEGRADABILITY: < 10%

BACTERIA TOXICITY: > 10 mg/l (3h activated sludge)

AOX CONTENT: 0.0%

COD: 1600 mg/g

13. DISPOSAL CONSIDERATIONS

PRODUCT: ...If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant.

UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

14. TRANSPORT INFORMATION

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL

D.O.T. HAZARD CLASSIFICATION: NOT REGULATED

FRT. CLASS PACKAGE: 55

IATA: NON-REGULATED

IMDG: NON-REGULATED

15. REGULATORY DATA

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory

SARA 313: This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.

SARA	Immediate (acute) health hazard	No
312:	Delayed (chronic) health hazard	No
	Fire hazard	No
	Sudden Release of Pressure	No
	Reactivity	No

This product is not subject to the German Ordinance that bans certain azo dyes or the 19th Amendment of the Council Directive 76/769/EEC.

CALIFORNIA PROPOSITION 65: This product does not contain any components currently on the California List of Known Carcinogens and reproductive Toxins

16. OTHER INFORMATION

This company warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. This company makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall this company be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

MSDS Created: March 28, 2017

MSDS Revised: March 28, 2017