

SAFETY DATA SHEET

WF672, WF605, and WF670

RELEASE DATE: 10/15/14

1. PRODUCT IDENTIFICATION

PRODUCT NAME: WASHFAST ACID BLACK 672
CHEMICAL FAMILY: ACID DYESTUFF MIXTURE
T.S.C.A. STATUS: COMPLIANCE
PRIMARY PRODUCT USE: TEXTILE MANUFACTURING

SUPPLIED BY: PRO CHEMICAL & DYE
126 SHOVE STREET
FALL RIVER, MA 02724

Emergency Telephone Numbers:
800-255-3924 ChemTel. (United States)
+ 1 01 813-248-0585 (Outside the United States)

2. HAZARDS IDENTIFICATION



Warning: Causes Serious Eye Irritation and Skin Irritation.

This Product has been classified as a Category 2A eye irritant based upon animal test data.

Warning: May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects. (Chronic Category 3)

PRIMARY ROUTE OF EXPOSURE

INHALATION: YES

SKIN ABSORPTION: NO

INGESTION:
NO

SKIN CONTACT: YES

EYE CONTACT: YES

CARCINOGEN STATUS

IARC: NO

NTP: NO

OSHA: NO

HMIS: 1 1 0 E

CHRONIC EFFECTS OF OVEREXPOSURE

None known

SIGNS AND SYMPTOMS OF OVEREXPOSURE

May be irritating to the eyes, skin, and respiratory tract.

MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin or eye conditions may be more susceptible to the effects of this product.

3. HAZARDOUS INGREDIENTS:

ACID BLACK 172 (57693-14-8) 90% Irritant, Animal sensitizer.
SODIUM SULFATE (7757-82-6) 10%

4. EMERGENCY AND FIRST AID PROCEDURES

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING

EYE CONTACT: Wash immediately with large amounts of water for 15 minutes, lifting the upper and lower lids until no evidence of product remain. Get medical attention immediately. Do not wear contact lenses while handling.

SKIN CONTACT: Remove all contaminated clothing immediately. Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse.

INGESTION Dilute with water. Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions.

INHALATION: If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

5. FIRE AND EXPLOSION DATA

FLASH POINT: Not Applicable

EXTINGUISHING MEDIA: CO₂, Dry Chemical, Foam, Water

HAZARDOUS DECOMPOSITION PRODUCTS: CO₂, CO, SULFUR OXIDES, NITROGEN OXIDES

SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL FIRE OR EXPLOSION

HAZARDS: Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering.

6. SPILL OR LEAK PROCEDURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Clean up spill immediately. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. Wear PPEs during clean-up. For further disposal measures see section 13.

7. SPECIAL PRECAUTIONS AND STORAGE DATA

SAFE HANDLING: In accord with good industrial practice. Handle with care and avoid personal contact.

8. EMPLOYEE PROTECTION RECOMMENDATIONS

GENERAL PROTECTIVE MEASURES: Avoid contact with eyes and skin.
Immediately remove all contaminated clothing.

EYE PROTECTION: Employees should wear protective eye-goggles with side protection shield.

SKIN PROTECTION: Employees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from food and drink stuffs.

RESPIRATORY PROTECTION: Inhalation of dust and aerosols must be absolutely prevented by the use of a NIOSH approved dust respirator

VENTILATION: Use local ventilation.

OTHER: Wear overalls, apron or other protective clothing.

9. PHYSICAL DATA

APPEARANCE:	POWDER		
COLOR:	BLACK		
ODOR:	NONE		
ODOR THRESHOLD:	NA		
SOLUBILITY IN WATER:	75 g/l at 25 deg C		
BULK DENSITY:	300 -450 kg/m ³		
VISCOSITY:	NA		
pH:	4.5 - 5.5 @ 100.0g/1		
MELTING POINT/FREEZING POINT:	NA		
PARTITION COEFFICIENT: N-OCTANOL/WATER:	ND		
BOILING POINT:	NA		
VAPOR PRESSURE:	NA		
VAPOR DENSITY:	NA		
EVAPORATION RATE:	NA		
FLAMMABILITY:	NA		
FLASH POINT:	NA		
IGNITION TEMP:	NA		
DECOMPOSITION TEMPERATURE:	ND		
VEL:	NA		
LEL:	NA		
% VOLATILE:	VALUE: ND	UNIT: %	COMMENT:

10. REACTIVITY DATA

THERMAL DECOMPOSITION: No thermal decomposition when stored and handled correctly.

HAZARDOUS REACTIONS: None expected

CHEMICAL STABILITY: Stable

INCOMPATIBLE MATERIALS: None

HAZARDOUS DECOMPOSITION PRODUCTS: CO₂, CO, SULFUR OXIDES, NITROGEN OXIDES

CONDITIONS TO AVOID: Avoid dusting conditions and sparks/flame.

HAZARDOUS POLYMERIZATION: Will not occur

11. TOXICOLOGICAL DATA

ANIMAL TOXICITY ORAL - LD50 (INGESTION)	>5000 mg/l (rats)
EYE EFFECTS	IRRITANT (RABBIT EYE)
SKIN EFFECTS	NON-IRRITANT (RABBIT)
SENSITIZATION	SENSITIZER (GUINEA PIG)

12. ECOLOGICAL DATA

FISH, LC50	10 -100 mg/l (48 hour, Leuciscus idus)
COO	ND
BIODEGRADABILITY:	< 10 %
BACTERIA TOXICITY: IC50	ND
AOX	0.0000 %

13. DISPOSAL CONSIDERATIONS

PRODUCT: If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant.

UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

RCRA HAZARDOUS WASTE: When discarded in its present form, this product meets the criteria of EP toxicity, and should be managed as a hazardous waste. (40 CR 261.20 - 24) (Contains Chromium)

14. SHIPPING DATA

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL

D.O.T. HAZARD CLASSIFICATION: NOT REGULATED

FRT. CLASS PACKAGE: 55

IATA (C,P): NON-HAZARDOUS

IMDG: NON-HAZARDOUS

15. REGULATORY DATA

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory
SARA 313: This product is subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.

CHROMIUM COMPOUND 90 %
CHROMIUM CAS# 7440-47-3 4.9 %

SARA 312:

Immediate (acute) health hazard	Yes
Delayed (chronic) health hazard	No
Fire hazard	No
Sudden Release of Pressure	No
Reactivity	No

CALIFORNIA PROPOSITION 65: This product does not contain any components currently on the California List of Known Carcinogens and reproductive Toxins.

This product is not subject to the German Ordinance that bans certain azo dyes or the 19th Amendment of the Council Directive 76/769/EEC.

OTHER REGULATIONS: Label in accordance with the EEC directives:

HAZARD SYMBOLS: Xi Irritant

R 36: Irritating to eyes

S22 Do not breathe dust.

S26: In case of contact with eyes, rinse immediately with plenty water and seek medical advice.

S39: Wear eye/face protection.

16. OTHER INFORMATION

The manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. The manufacturer makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall the manufacturer be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

Creation date: October 14, 2009

Revision date: January 3, 2014