

SAFETY DATA SHEET

Sabreset Scarlet 380 and 282

ISSUE DATE: 1/13/16

1. PRODUCT IDENTIFICATION

PRODUCT NAME: SABRESET 380 and 282
CHEMICAL FAMILY: METAL COMPLEX DYE MIXTURE
T.S.C.A. STATUS: COMPLIANCE
SUPPLIED BY: PRO Chemical & Dye
126 Shove Street
Fall River, MA 02724

Emergency Telephone Numbers:
800-255-3924 ChemTel. (United States)
+ 1 01 813-248-0585 (Outside the United States)

2. HAZARDS IDENTIFICATION



Warning: Causes Serious Eye Irritation.

This product has been classified as a Category 2A eye irritant based upon animal test data.

Harmful to aquatic life with long lasting effects. (Chronic Category 3)

PRIMARY ROUTE OF EXPOSURE

INHALATION: YES SKIN ABSORPTION: NO INGESTION: NO
SKIN CONTACT: YES EYE CONTACT: YES

CARCINOGEN STATUS

IARC: NO NTP: NO OSHA: NO

HMIS: 1 0 0 E

CHRONIC EFFECTS OF OVEREXPOSURE :
None Known

SIGNS AND SYMPTOMS OF OVEREXPOSURE:

Irritating to the eyes. May be irritating to the skin, and respiratory tract.

MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this product.

3. HAZARDOUS INGREDIENTS

Acid Red 407 (72017-66-4) 40-50% Harmful to aquatic organisms

The exact ingredient percentages and composition of non-hazardous components have been withheld as a trade secret.

4. EMERGENCY AND FIRST AID PROCEDURES

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING

EYE CONTACT: Wash immediately with large amounts of water for 15 minutes, lifting the upper and lower lids until no evidence of product remain. Get medical attention immediately. Do not wear contact lenses while handling.

SKIN CONTACT: Remove all contaminated clothing immediately. Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse.

INGESTION: Dilute with water. Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions.

INHALATION: If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

5. FIRE AND EXPLOSION DATA

FLASH POINT: Not Applicable

EXTINGUISHING MEDIA: CO2 Dry Chemical Foam Water Fog

SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL FIRE OR EXPLOSION HAZARDS:

Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering.

ADDITIONAL INFORMATION: Avoid dusting conditions. May form explosive dust mixtures with air.

6. SPILL OR LEAK PROCEDURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Avoid formation and deposition of dust. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. For further disposal measures see section 13.

7. SPECIAL PRECAUTIONS AND STORAGE DATA

SAFE HANDLING: In accord with good industrial practice. Handle with care and avoid personal contact.

8. EMPLOYEE PROTECTION RECOMMENDATIONS

GENERAL PROTECTIVE MEASURES:

Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing.

EYE PROTECTION: Employees should wear protective eye-goggles with side protection shield.

SKIN PROTECTION: Employees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from food and drink stuffs.

RESPIRATORY PROTECTION: Inhalation of dust and aerosols must be absolutely prevented by the use of a NIOSH approved dust respirator.

VENTILATION: Use local ventilation.

OTHER: Wear overalls, apron or other protective clothing.

9. PHYSICAL DATA

APPEARANCE	POWDER
COLOR	RED
ODOR	NONE
ODOR THRESHOLD	NA
SOLUBILITY IN WATER	75 g/l @ 20 deg C
BULK DENSITY	ND
VISCOSITY	NA
pH	6.0 - 7.0 @ 10 g/l
MELTING POINT/FREEZING POINT	NA

PARTITION COEFFICIENT: N-OCTONAL/WATER ND
BOILING POINT NA
VAPOR PRESSURE NA
VAPOR DENSITY NA
EVAPORATION RATE NA
FLAMMABILITY NA
FLASH POINT NA
IGNITION TEMP N.A.
DECOMPOSITION TEMPERATURE ND
UEL NA
LEL NA
% VOLATILE: VALUE: ND UNIT: % COMMENT:

10. REACTIVITY DATA

THERMAL DECOMPOSITION: No thermal decomposition when stored and handled correctly.
HAZARDS REACTIONS: None expected
CHEMICAL STABILITY: Stable
INCOMPATIBLE MATERIALS: None
HAZARDOUS DECOMPOSITION PRODUCTS CO₂, CO, SULFUR OXIDES, NITROGEN OXIDES
CONDITIONS TO AVOID: ... Avoid dusting conditions and sparks/flame.
HAZARDOUS POLYMERIZATION: Will not occur

11. TOXICOLOGICAL DATA

ANIMAL TOXICITY ORAL - LD50 (INGESTION) > 5000 mg/kg (RAT)
FISH, LC50 ND
EYE EFFECTS NON-IRRITANT (RABBIT)
SKIN EFFECTS NON-IRRITANT (RABBIT)
SENSITIZATION NOT EXPECTED

12. ECOLOGICAL DATA

BIODEGRADABILITY: ND
BACTERIA TOXICITY: ND
COD: ND
AOX: 3.8%

13. DISPOSAL CONSIDERATIONS

PRODUCT: If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant. UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

14. SHIPPING DATA

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL
D.O.T. HAZARD CLASSIFICATION: NOT REGULATED
FRT.CLASS PACKAGE: 55

IATA: NON-REGULATED

IMDG: NON-REGULATED

15. REGULATORY DATA

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory and the Canadian DSL.

SARA 313: This product is subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.

CHROMIUM COMPOUND 45.0 %
CHROMIUM CAS# (7440-47-3) 2.50%

SARA 312:	Immediate (acute) health hazard	Yes
	Delayed (chronic) health hazard	No
	Fire hazard	No
	Sudden Release of Pressure	No
	Reactivity	No

This product is not subject to the German Ordinance that bans certain azo dyes or the 19th Amendment of the Council Directive 76/769/EEC.

CALIFORNIA PROPOSITION 65: This product does not contain any components currently on the California List of Known Carcinogens and reproductive Toxins

16. OTHER INFORMATION

The manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. The manufacturer makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall the manufacturer be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

MSDS Created: June 3, 2014

MSDS Revised: March 30, 2015