

SAFETY DATA SHEET

Sabreset Navy 485

Emergency Telephone Numbers:
800-255-3924 ChemTel. (United States)
+ 1 01 813-248-0585 (Outside the United States)

ISSUE DATE: 1/15/16

1. PRODUCT IDENTIFICATION

PRODUCT NAME: Sabreset Navy 485
CHEMICAL FAMILY: MIX OF AZO METAL COMPLEX AND ANTHRAQUINONE DYES
T.S.C.A. STATUS: COMPLIANCE
Supplied by PRO Chemical & Dye
126 Shove Street
Fall River, MA 02724

2. HAZARDS IDENTIFICATION

Warning: May be harmful if swallowed.

This product has been classified as Category 5 oral toxicity.

Warning: Causes Eye Irritation and Mild Skin Irritation.

This product has been classified as a Category 2B eye irritant and a Category 3 skin irritant.

Harmful to aquatic life with long lasting effects. (Chronic Category 3)

PRIMARY ROUTE OF EXPOSURE

INHALATION:	YES	SKIN ABSORPTION:	NO	INGESTION:	NO
SKIN CONTACT:	YES	EYE CONTACT:	YES		

CARCINOGEN STATUS

IARC: NO	NTP: NO	OSHA: NO
----------	---------	----------

HMIS: 1 1 0 E

CHRONIC EFFECTS OF OVEREXPOSURE:

None Known

SIGNS AND SYMPTOMS OF OVEREXPOSURE

Irritating to the eyes and skin. May be irritating to the respiratory tract.

MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this product.

3. HAZARDS IDENTIFICATION

Proprietary mixture of Azo and Azo Metal Complex Dyes 40-60%
May be harmful if swallowed. Irritant.

The exact ingredient percentages and composition has been withheld as a trade secret.

4. EMERGENCY AND FIRST AID PROCEDURES

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING

EYE CONTACT: Wash immediately with large amounts of water for 15 minutes, lifting the upper and lower lids until no evidence of product remain. Get medical attention immediately. Do not wear contact lenses while handling.

SKIN CONTACT: Remove all contaminated clothing immediately. Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse.

INGESTION: Dilute with water. Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions.

INHALATION: If inhaled, remove to fresh air. If hot breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

5. FIRE AND EXPLOSION DATA

FLASH POINT: Not Applicable

EXTINGUISHING MEDIA: CO2 Dry Chemical Foam Water Fog

SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL FIRE OR EXPLOSION HAZARDS:

Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering.

ADDITIONAL INFORMATION: Avoid dusting conditions. May form explosive dust mixtures with air. See section 7 for additional information.

6. SPILL OR LEAK PROCEDURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Avoid formation and deposition of dust. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-

combustible absorbent material or suitable vacuum and place into labeled sealable containers. For further disposal measures see section 13.

7. SPECIAL PRECAUTIONS AND STORAGE DATA

SAFE HANDLING: In accord with good industrial practice. Handle with care and avoid personal contact.

8. EMPLOYEE PROTECTION RECOMMENDATIONS

GENERAL PROTECTIVE MEASURES:

Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing.

EYE PROTECTION: Employees should wear protective eye-goggles with side protection shield.

SKIN PROTECTION: Employees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from food and drink stuffs.

RESPIRATORY PROTECTION: Inhalation of dust and aerosols must be absolutely prevented by the use of a NIOSH approved dust respirator.

VENTILATION: Use local ventilation.

OTHER Wear overalls, apron or other protective clothing.

9. PHYSICAL DATA

APPEARANCE: POWDER
COLOR: BLUE
ODOR: NONE
SOLUBILITY IN WATER: 60 g/l @ 90 deg C
BULK DENSITY: 400-500 kg/m³
VISCOSITY: NA
pH: 7.0-8.0 @ 1%
MELTING POINT/FREEZING POINT: N/A
PARTITION COEFFICIENT: N-OCTANOL/WATER: ND
BOILING POINT: NA
VAPOR PRESSURE: NA
VAPOR DENSITY: NA
EVAPORATION RATE: NA
FLAMMABILITY: NA
IGNITION TEMP: NA
DECOMPOSITION TEMPERATURE: ND
UEL: NA
LEL: NA
% VOLATILE: VALUE: 0.00 UNIT: % COMMENT:

10. REACTIVITY DATA

THERMAL DECOMPOSITION: No thermal decomposition when stored and handled correctly.

HAZARDS REACTIONS: None expected

CHEMICAL STABILITY: Stable

INCOMPATIBLE MATERIALS: None

HAZARDOUS DECOMPOSITION PRODUCTS: CO₂, CO, SULFUR OXIDES, NITROGEN

OXIDES/CONDITIONS TO AVOID: Avoid dusting conditions and sparks/flame

HAZARDOUS POLYMERIZATION: Will not occur

11. TOXICOLOGICAL DATA

ANIMAL TOXICITY ORAL - LD₅₀ (INGESTION): >4000 mg/kg (RAT)

FISH, LC₅₀: 10-100 mg/l (48 hour, *Oncorhynchus mykiss*)

EYE EFFECTS: NON-IRRITANT (RABBIT)

SKIN EFFECTS: NON-IRRITANT (RABBIT)

SENSITIZATION: NOT EXPECTED

12. ECOLOGICAL DATA

BIODEGRADABILITY: < 10%

COD: 530 mg/g

BACTERIA TOXICITY: >300 mg/l (inhibition on waste treatment bacteria)

AOX: 0.000

13. DISPOSAL CONSIDERATIONS

PRODUCT: If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant.

UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

14. SHIPPING DATA

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL

D.O.T. HAZARD CLASSIFICATION: NOT REGULATED

FRT. CLASS PACKAGE: 55

IATA: NON-REGULATED

IMDG: NON-REGULATED

15. REGULATORY DATA

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory

SARA 313: This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.

CHROMIUM CAS# 7440-47-3 1.5%
CHROMIUM COMPOUND 45.8%

SARA 312:

Immediate (acute) health hazard	Yes
Delayed (chronic) health hazard	No
Fire hazard	No
Sudden Release of Pressure	No
Reactivity	No

This product is not subject to the German Ordinance that bans certain azo dyes or the 19th Amendment of the Council Directive 76/769/EEC.

CALIFORNIA PROPOSITION 65: This product does not contain any components currently on the California List of Known Carcinogens and reproductive Toxins

16. OTHER INFORMATION

The manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. The manufacturer makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall the manufacturer be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

MSDS Created: February 22, 2010

MSDS Revised: May 1, 2014